



Kalamazoo Area Building Authority

www.kaba-mi.org

2322 Nazareth Road, Kalamazoo, MI 49048

Phone: 269-216-9511 Fax: 269-250-9078

permits@kaba-mi.org

Pole Barn/Utility Building Cross Section

Name _____

Snow Load (30 lbs. Min. Required) _____

Girt Size _____

Purlin Size _____

Pole Spacing _____

Header Size _____

Truss Spacing _____

Struss Support Girt Size _____

Treated Bottom Girt Size _____

Pole Size (Treated) _____

Roof Materials _____

Siding Materials _____

Floor Depth and Type _____

Window Dimensions _____


Door Type(s) and Dimensions _____

Total Square Feet _____

Pole Grade (Min. Ret. AWPA LP22 0.60# pfc)

Engineered Truss Drawing Required

Lateral Bracing to Truss Manufacturer Specs.



Building Width		20'	24'	26'	28'	30'	32'	34'	36'	40'
8' Post	Hole Diameter	16"	18"	20"	20"	20"	22"	22"	22"	24"
Spacing	Concrete Thickness	8"	8"	8"	8"	8"	8"	8"	8"	10"
10' Post	Hole Diameter	18"	20"	22"	22"	24"	24"	24"	24"	26"
Spacing	Concrete Thickness	8"	8"	8"	8"	10"	10"	10"	10"	10"