



Kalamazoo Area Building Authority

www.kaba-mi.org

2322 Nazareth Road, Kalamazoo, MI 49048

Phone: 269-216-9511 Fax: 269-250-9078

permits@kaba-mi.org

DEMOLITION INFORMATION PACKET

Amended on 05/18/21



TABLE OF CONTENTS

- I. Demolition Process Checklist
- II. Approval of Demolition Permit
- III. Utility Disconnections
- IV. Other Important Issues – Asbestos and Lead
- V. Demolition Standards, Inspections, and Site Conditions
- VI. Permit Submission



I. DEMOLITION PROCESS CHECKLIST

- Structures Requiring No Permit
 - Residential Structures 200 Square Feet or Less
 - Commercial Structures 120 Square Feet or Less

- Structures Requiring No Bond
 - 1 and 2 Family Residential Structures
 - Commercial, Industrial, Multi-Family (3 units or more) and Institutional Structures less than 12,000 Square Feet

- Structures Requiring Bond
 - Commercial, Industrial, Multi-family (3 units or more), and Institutional Structures greater than 12,000 square feet

- Permit Application
 - Building Permit Application Form – Check “Demolition” under Type of Improvement
 - Site Sketch
 - **Richland Township**—Submit sewer inspection request from GLSWA for sewer disconnect

- Utility Disconnections
 - **KABA will require cut-off of utilities serving the property and written verification of the same.**
 - MichCon/DTE Energy
 - Consumers Energy – Electric / Gas
 - Water – City / Private Well
 - City Sewer / Private Septic
 - Underground Storage Tanks/Structures (Permit from State of Michigan)

- Environmental Issues
 - Asbestos Treatment
 - Lead-based Paint Treatment

- Demolition Permit Issuance
 - Permit Fee
 - Performance Guarantee
 - Proof of Insurance

- Progress Inspection
 - Cap – Sanitary and Storm Sewers



Kalamazoo Area Building Authority

- Well to be decommissioned in accordance with EGLE guidelines and entered into the **WELLOGIC** database at <https://secure1.state.mi.us/wellogic>.
 - Septic systems to be pumped, crushed and filled in accordance with local health dept. guidelines.
 - Maintain MIOSHA Safety Standards
 - Removal of Foundation
- LUDS (SESC) Inspection - As needed
- Demolition involving the grading of more than 1 acre or within 500 feet of a body of water
- Final Inspection – Site Conditions
- Demolition Waste Disposal Tickets
- Permit Close Out, Release of Performance Guarantee

II. PERMIT APPROVAL

A permit is required for the demolition of any structure under the jurisdiction of KABA, unless an exception is granted by KABA's Building Official. A permit is generally not required to dismantle, wreck or demolish a residential-type garage, tool shed or other similar building having no utilities that is less than 200 square feet. Please check with the Building Official by calling 269-216-9511 before starting any demolition work. Notification will be made to the local jurisdiction prior to the issuance of the permit.

Permit Application

A permit application must be completed in full. An incomplete application will not be accepted.

Site Sketch/Aerial Photo

A site sketch of the property must be included with the permit application. For commercial or industrial properties with more than one structure on the property, an aerial photograph must also be submitted. The site sketch/aerial photo must show all the structures and flat masonry on the property. Any item that is not to be removed must be clearly identified on the plot plan.

Permit Fee

Includes \$45 Sewer/Septic and Water/Well lateral service demo/cap off inspection fee

- \$75 for detached accessory structures that are under 600 square feet.ⁱ
- \$150 for one- or two-family residential structures.
- \$250 for commercial, industrial, multi-family (3 units and above), or institutional structures that are 12,000 square feet or less.
- \$350 for commercial, industrial, multi-family (3 units and above), or institutional that are greater than 12,000 square feet.



Performance Guarantee / Bond

Prior to the issuance of a permit for commercial, industrial, multi-family (3 units and above), or institutional structure greater than 12,000 square feet, the applicant shall furnish to KABA a bond equal to the contract cost of demolition. All such bonds shall be submitted to the KABA Building Official for approval as to form. Any person, firm or corporation normally engaged in the demolition of buildings may provide an annual bond to KABA in the amount of one million dollars (\$1,000,000.00), which shall cover all demolition bonds as heretofore required.

Waiver of Guarantee /Bond

Upon occasion and with the prior written approval of the KABA Building Official the Performance Guarantee/Bond requirement may be waived. Such waiver must be requested by the municipality in which the property which the subject to the permit is located. In addition, no waiver is effective unless or until a written KABA indemnification agreement (“Indemnification Agreement”) is executed by an authorized governmental official for the municipality seeking such waiver. Acceptance of an Indemnification Agreement in lieu of the Performance Guarantee/Bond shall be in the sole discretion of the KABA Building Official. A copy of the current Indemnification Agreement is available from the KABA offices upon request.

Proof of Insurance

A copy of liability insurance certificate naming KABA as additional insured and indicating the street address of the project must be attached to this form. The policy limits must be \$1 million general liability and \$1 million auto. Statutory worker’s compensation must also be included.

LUDS Soil Erosion and Sedimentation Control (SESC) Permit

SESC permits are issued as components of the Land Use Development Services (LUDS) permitting program. A LUDS (SESC) permit is required for any demolition involving finish grading of one (1) acre or more, as well as any demolition within 500 feet of a water body (lake, river, stream, or drainage ditch). To obtain a LUDS permit, submit a LUDS Plan Review application and three (3) copies of a site sketch showing SESC measures to the Development Center. A permit fee is required.

Contact: Office of the Kalamazoo County Drain Commissioner
201 West Kalamazoo Avenue, Kalamazoo, MI 49007
269-384-8117

Hazardous Conditions

Additional fees, increased bonding, and/or safety conditions may be required to address hazardous conditions when the KABA Building Official determines it is necessary to preserve and protect public health, safety and welfare.



III. UTILITY DISCONNECTIONS

The following utilities need to be contacted for utility disconnections before demolition can be authorized to start. The contact information is provided below.

Water Service & Sanitary Sewer Service	
Water & Sewer Department City of Kalamazoo 415 E. Stockbridge Avenue Kalamazoo, MI 49001 Phone: 269-337-8149	Public Works & Water City of Parchment 650 S. Riverview Drive Parchment, MI 49004 Phone: 269-349-3785
Water Department (Comstock Township) City of Galesburg 200 E. Michigan Avenue Galesburg, MI 49053 Phone: 269-665-7000	Van Buren/Cass District Heath Department 57418 CR 681 Ste A Hartford, MI 49057 Phone: 269-621-3143
Kalamazoo County Environmental Health Division 311 E Alcott Kalamazoo, MI 49001 Phone: 269-373-5210	Gull Lake Sewer and Water Authority 7722 N. 37 th Street Richland, MI. 49083 Phone 269-731-4595

Natural Gas Service	
Consumers Energy 2500 E. Cork Street Kalamazoo, MI 49001	Phone: 1-800-477-5050

Electric Service	
Consumers Energy 2500 E. Cork Street Kalamazoo, MI 49001	Phone: 1-800-477-5050
AEP (Pine Grove) 1-800-311-6424	

The demolition permit applicant is responsible for contacting other connected utilities (i.e. telephone, cable television, propane, or internet providers) prior to demolition.



IV. OTHER IMPORTANT ISSUES

Asbestos Treatment – Commercial Facilities

The rules concerning the treatment of asbestos during the demolition of commercial facilities pertain to all structures except 1- to 4-unit privately owned residences *not part of a larger project even if on scattered sites*. A thorough inspection must be conducted by an accredited Asbestos Inspector. DEQ and DLEG must be notified on Form EQP5661/MIOSHA-CSH 142 ten days prior to start of demolition *even if no relevant asbestos was found*. Friable asbestos or asbestos that may become friable during the demolition process must be removed prior to the start of demolition. A qualified Asbestos Abatement contractor must be used to remove asbestos containing materials (ACM) and disposed of in accordance with Michigan law.

Contractor and worker requirements are found in Michigan PA 135 (1986) and 440 (1988) as amended. The regulations found in 40 CFR 61 Subpart M (NESHAP) and MIOSHA regulations Parts 305 and 602 apply during removal of ACM and demolition if ACM are allowed to remain in the facility.

Asbestos Treatment – 1- to 4-Unit Residential Facilities

Homeowners, and contractors hired by homeowners, are exempt from the asbestos National Emissions Standards for Hazardous Air Pollutants (NESHAP) notification, testing and abatement regulations in residences being demolished or renovated if dealing with only one building. *If the renovation includes two buildings such as a house and DETACHED garage, the regulations apply.*

In any case, the contractor is subject to the worker health and safety regulations overseen by Department of Labor and Economic Growth (MIOSHA).

Contractor will provide the asbestos inspection report and any abatement plan to KABA.

For More Information on Asbestos:

Web Sites: www.michigan.gov/deqair www.michigan.gov/asbestos
<http://yosemite.epa.gov/r5/r5ard.nsf/asbestos+main?OpenView>

Asbestos Abatement Compliance Monitoring: 517-241-7463
MIOSHA Standards Section: 517-322-1845



Lead-based Paint Treatment – Commercial Facilities

Lead based paint in commercial demolition is subject to MIOSHA worker protection rules. Disposal of the debris may be regulated by the EPA if it qualifies as toxic waste under RCRA waste code D008.

Web Sites: www.epa.gov/epaoswer/non-hw/debris
http://www.michigan.gov/documents/CIS_WSH_part310_35615_7.pdf
http://www.michigan.gov/documents/cis_wsh_cet5050_90143_7.doc

MIOSHA Standards Section (517) 322-1845

Lead-based Paint Treatment – Residential Facilities

Lead based paint in residential demolition is subject to MIOSHA worker protection rules. The debris is exempt from regulations and may be disposed of in either municipal or C & D landfills. Partial demolition followed by reconstruction and residential reuse is regulated by the EPA and the State.

(If Federal funds are used in the project the rules found in 24 CFR 35 and the HUD Guidelines for the Evaluation and Control of Lead Based Paint Hazards in Housing will also apply.
<http://www.hud.gov/offices/lead/lbp/hudguidelines/index.cfm>)

Contractor will provide the lead-based paint inspection report and any abatement plan to KABA.

Web Sites: http://www.michigan.gov/documents/CIS_WSH_part310_35615_7.pdf
http://www.michigan.gov/documents/cis_wsh_cet5050_90143_7.doc
http://www.michigan.gov/mdch/0,1607,7-132-2940_2955_2983-19420--,00.html

MIOSHA Standards Section (517) 322-1845



Reuse, Recycling of Materials

As an alternative to placing useable materials in landfills, contractors are encouraged to consider reusing or recycling materials.

Reuse of Materials

Businesses in the Greater Kalamazoo Area that accept materials in good condition are listed below:

Kalamazoo Valley Habitat for Humanity – Retail Outlet
1810 Lake Street
Kalamazoo, MI 49001
269-381-5523

Heritage Architectural Salvage and Supply
150 North Edwards Street
Kalamazoo, MI 49009
269-385-1004

Kalamazoo Scrap & Processing
2730 Millcork Street
Kalamazoo, MI 49001
269-381-7277

RJ Industrial Recycling of Battle Creek
989 Raymond Road N
Battle Creek, MI 49014
810-207-0471

This list is not exhaustive. Other resources may be available.



V. DEMOLITION STANDARDS, INSPECTIONS, AND SITE CONDITIONS

Demolition Standards

The following is a summary of the demolition standards that must be followed by the contractor performing the demolition work. These requirements can be found in Chapter 33 of the Michigan Building Code.

No structure shall be removed from the premises in a whole or substantially whole condition. All buildings slated for demolition shall be demolished on the premises.

Permit Holder assumes the responsibility to guard against casual entry to the demolition site by unauthorized personnel at all times

Dangerous conditions – unstable structures, open holes, et al – must be fenced completely around the perimeter, with sufficient clear distance, during times where the site is not occupied by authorized personnel

Conformity to MIOSHA standards must be maintained at all times throughout the demolition process.

All structures and their foundations slated for demolition shall be completely razed and removed from the site.

All masonry, such as private sidewalks, driveways, driveway aprons or retaining walls, shall be removed.

Any damage to public sidewalks or any part of the street right-of-way shall be repaired or replaced to meet Township Engineering standards.

All excavated areas shall be filled and compacted to grade only with clean fill composed of sand, gravel, or dirt. Final grade shall be at least 4” of clean, sandy loam, dirt, or top soil. This must be seeded or finished to match surrounding areas.



Requirements

KABA will conduct a Sewer/Water and final inspection to ensure the work is being done per code and permit standards.

Sewer and Storm Laterals / Septic

The sewer lateral, and storm lateral if one exists, shall be exposed and properly capped within 24" of the valve box or at the lot line. If the property has on-site septic, it will be filled and/or crushed pursuant to Kalamazoo County Environmental Health Division standards.

Potable Water

The water line or well shall be plugged and/or capped in accordance with Kalamazoo County Environmental Health Division standards.

Basement Floor and Foundation

All structures and their foundations slated for demolition shall be completely razed and removed from the site.

IMPORTANT NOTE

Backfilling is to be done only after inspected and approved by KABA. If the property is backfilled without the proper progress inspection(s), the demolition contractor will be required to remove the fill.

Inspections:

- 1. Sewer/Septic and Water/Well**
- 2. Final**

The final inspection shall be done at the request of the demolition contractor. The Inspector will look for and require the following:

- All structures slated for demolition on the site have been removed.
- Masonry and concrete on the site has been removed, as shown on the site sketch.
- The lot is properly filled, compacted and graded.
- Final fill is at least 4 inches of sandy loam, dirt or topsoil.
- Public sidewalks, right of ways and approaches damaged through the demolition process shall be restored to their earlier condition.
- Demolition Waste Disposal Tickets.

NOTE

Also, if the demolition does not pass the final inspection, KABA will retain the contractor's performance guarantee and withhold bond (if applicable) until all items meet demolition standards. Re-Inspection fees may apply.



Kalamazoo Area Building Authority

Close Out of Demolition Permit

After the final inspection has been conducted and the site work approved, KABA will close out the demolition permit. At that time, KABA will return the performance bond or letter of credit to the demolition contractor.

VI. PERMIT SUBMISSION

Please submit the following:

1. KABA Building Permit Application with Site Diagram
2. All disconnect notices
3. Asbestos Survey (as applicable)
4. Performance Bond (as applicable)
5. Certificate of Insurance (as applicable)
6. LUDS Soil Erosion and Sedimentation Control (SESC) Permit (as applicable)

ⁱ Added 05/18/21